

# Lonsdor product service center operation guide


(User can convert data at any time)

Website: <http://u.lonsdor.com>

Note: This service center is now specific to the following 3 car brands: **VOLVO, MASERATI, FERRARI**

**Step 1:** Input user account and password to enter.

Note: The account and password must be the one when you registered our device



The screenshot shows the 'User login' interface of the Lonsdor Product Service Center. The page has a dark blue background with white text. At the top, the title 'Lonsdor Product Service Center' is displayed. Below it, the heading 'User login' is centered. There are two input fields: the first is for the account, containing the email '897366842@qq.com', and the second is for the password, shown as a series of dots. Below the password field, there are two language options: '中文版' (Chinese version) and 'English'. A checkbox labeled 'Remember my login info' is checked, and a link for 'Forgot password?' is visible. A large blue 'Login' button is positioned below these options. At the bottom of the form area, a tip reads: 'Tip: the account is the email and password you filled in when you first bound the device'. The footer of the page features the Lonsdor logo and the text 'Shenzhen Lonsdor Technology Co., Ltd.'

**Step 2:**

Choose your device model



**Step 3:**

Choose the car model



**Step 4:**

Choose the key type that you want to transfer data (say "Key(straight)", which refers to common keys like S40、C30、C70, etc.)



**Step 5:** Data conversion operation

1. Device PSN is default.
2. Choose the car type, like S40、C30、C70 ect.
3. Upload the right EEPROM(2) first, and then upload the left EEPROM(1) data.

#### 4. Submit data.

Home > K518ISE > Volvo > Key (straight)

### Key (straight) Data calculation


Device PSN: 10011600

Series: S40

CEM Right EEPROM(2): No File ... [Choose](#)

CEM Left EEPROM(1): No File ... [Choose](#)

[Submit](#)



#### Step 6:

Once submit the data, the system will calculate data and refresh automatically, until the final result shows.

Note: If the data is misplaced, or the data is incorrect, the conversion will fail.



## Data calculation

Data calculating ◦ ◦ ◦

**Step 7:** Calculating complete, please click to download the data, and put the data in the corresponding folder according to "Operation Guide"



## Data calculation



Download the  
calculation results

www.uobdii.com